


# PPL9-T

## Thermocouple Room Air Temperature Sensor

- Air Temperature Sensor
- Indoor Temperature Measurement
- Housed in ventilated ABS Enclosure suitable for Dry Environments
- Ideal for HVAC applications
- Available with 4-20mA or 0-10V transmitter
- Ideal for use in offices, homes and server rooms.



### Specifications

<b>Sensor Type</b>	Type J, K or T thermocouple.
<b>Operating Range</b>	-40 to +85°C
<b>Humidity Range</b>	10 to 90% RH (Non condensing)
<b>Housing Material</b>	Beige ABS
<b>Tolerance Band</b>	BS EN 60584-2:1993 Class 1 or Class 2
<b>Wiring System</b>	Simplex or Duplex
<b>Head Options</b>	A - Nylon Terminal Block B - In Head Transmitter—Various types available. C - Mounting Plate for Customers Own Transmitter

### Process Parameters Ltd


Unit 10A, Waldeck House, Waldeck Road, Maidenhead, Berkshire, SL6 8BR

Tel: 01628 778688

Fax: 01628 777714

Email: sales@processparameters.co.uk

Web: www.processparameters.co.uk



NOTE: Some option combinations not possible.

This data sheet gives details of the most popular options available for this type of sensor but is not intended to give an exhaustive list of possibilities. If you have a special requirement please do not hesitate to contact our sales office for assistance.

Accessories for your sensor...



**Signal Conditioners**



**Extension Cables**